

# Lecture Notes in Physics

Edited by J. Ehlers, München, K. Hepp, Zürich  
R. Kippenhahn, München, H. A. Weidenmüller, Heidelberg  
and J. Zittartz, Köln  
Managing Editor: W. Beiglböck, Heidelberg

80

---

## Mathematical Problems in Theoretical Physics

International Conference  
Held in Rome, June 6–15, 1977

Edited by  
G. Dell'Antonio, S. Doplicher and G. Jona-Lasinio

---



Springer-Verlag  
Berlin Heidelberg New York 1978

# FLUCTUATIONES IN CURIE-WEISS EXEMPLIS<sup>1</sup>

Richard S. Ellis<sup>2</sup>  
Dept. of Mathematics and Statistics  
University of Massachusetts  
Amherst, Massachusetts 01003

Charles M. Newman<sup>3</sup>  
Dept. of Mathematics  
Indiana University  
Bloomington, Indiana 47401

## 1. Introduction

The primary topic of this paper is the statistics of mean field (or more accurately, Curie-Weiss) models. Although such models are often considered to possess trivial statistics (their fluctuations always being normally distributed), we shall see that when "properly" viewed, this is not the case. In fact, the probabilistic structure of these models is surprisingly rich and we present a detailed analysis of this structure with the hope that it will be helpful in analyzing analogous phenomena in less trivial models. Many of the results given here first appeared in [EN1] which can be consulted for detailed proofs. Sections 2-5 consist primarily of background material while sections 6-9 contain our main results.

## 2. General Ising Models

In this paper we will limit our attention to general Ising models (with pair interactions). For each  $n=1,2,\dots$  we have a collection of (spin) random variables  $\{x_i^n: i \in V_n\}$  where the  $V_n$ 's are finite subsets of  $\mathbb{Z}^d$  which tend to  $\mathbb{Z}^d$  (in some appropriate sense) as  $n \rightarrow \infty$ ; the joint distribution of  $\{x_i^n\}$  is

$$(1) \quad \frac{1}{Z_n} \exp\left[\sum_{i,j \in V_n} J_{ij}(n)x_i x_j\right] \prod_{i \in V_n} d\rho(x_i)$$

with  $\rho$  a finite measure on  $\mathbb{R}^1$ , and

$$(2) \quad Z_n = \int \cdots \int \exp\left(\sum_{i,j} J_{ij}(n)x_i x_j\right) \prod d\rho(x_i)$$

---

<sup>1</sup>Presented at the Capitolium, June 11, 1977 .

<sup>2</sup>Research supported in part by NSF Grant MPS 76-06644 .

<sup>3</sup>Research supported in part by NSF Grant MPS 74-04870 A01 .

